Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A compound of formula (I):

wherein

R2 is

wherein b is an integer of from 0 to 10;

 R^3 is a $C_{1\text{--}4}$ alkylene or $C_{2\text{--}4}$ alkenylene bridge;

 W_1 is absent or represents a spacer moiety which is a $C_{1:30}$ hydrocarbyl group optionally including 1 to 10 heteroatoms selected from oxygen, nitrogen, and sulphur, and is

Appl. No. 10/566487

Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

preferentially derived from glutaric and/or succinic acid and/or a polyethyleneglycol based unit and/or a unit of Formula:

$$-\left\{H_2N \searrow O \swarrow O \swarrow O \swarrow N \biggr\}$$

Z₁ is an antineoplastic agent, a chelating agent or a reporter moiety.

- 2. (Original) A compound of formula (I) according to claim 1, wherein Z_1 is a reporter moiety comprising a radionuclide.
- 3. (Original) A compound of formula (Ia):

wherein

R1 is either a bond or is

Appl. No. 10/566487

Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

wherein a is an integer of from 1 to 30;

R2 is

wherein b is an integer of from 0 to 10;

R3 is a C1-4 alkylene or C2-4 alkenylene bridge;

the Linker is a C₁₋₃₀ hydrocarbyl group optionally including 1 to 10 heteroatoms.

4. (Original) A compound of formula (Ia) according to claim 3 in which:

R3 is C1-4 alkylene;

a is an integer of from 1 to 10; and

b is 1.

5. (Previously presented) A compound of formula (Ia) according to claim 3 in which:

R3 is-CH2-: and

a is 5.

 (Previously presented) A compound of formula (Ia) according to claim 3 in which the Linker is selected from (II), (III) and (IV):

$$-(CH_2CH_2O)_n$$
- $(CH_2)_m$ - (II)

$$-(CH_2)_q$$
 $N(CH_2)_r$ (IV

Appl. No. 10/566487 Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

wherein:

n is an integer of 1 to 20;

m is an integer of 1 to 10;

p is an integer of 1 to 20;

q is an integer of 0 to 4;

r is an integer of 1 to 10.

7. (Previously presented) A compound of formula (Ia) according to claim 3 which is:

8. (Previously presented) A compound of formula (I) according to claim 1 for use in medicine, particularly in the *in vivo* diagnosis or imaging, for example by PET, of a disease or condition associated with angiogenesis.

9. (Cancelled)

- 10. (Previously presented) A radiopharmaceutical formulation comprising a compound of formula (I) according to claim 1 and one or more pharmaceutically acceptable excipients.
- 11. (Original) A method of preparing a compound of formula (Ia) as defined in claim 3 which comprises reaction of the corresponding compound of formula (V):

Appl. No. 10/566487 Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

wherein R^1 , R^2 , and R^3 are as defined for the compound of formula (Ia) and X is a leaving group selected from chloro, bromo, and iodo, and is preferably chloro; by reaction with the appropriate compound of formula (VI):

wherein the Linker is as defined for the compound of formula (Ia).

- 12. (Original) A compound of formula (V) as defined in claim 11.
- 13. (Previously presented) A kit for the preparation of a radiofluorinated peptide of formula
- (Ia) according to claim 3 comprising:
- (i) a compound of formula (VIa)

wherein L is a leaving group such as p-toluenesulphonate, trifluoromethanesulphonate, or methanesulphonate,

the Linker is a C₁₋₃₀ hydrocarbyl group optionally including 1 to 10 heteroatoms;

R is hydrogen or a thiol protecting group;

and

(ii) an activated peptide of formula (V)

Appl. No. 10/566487 Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

14. (Previously presented) A kit according to claim 13, comprising:

a compound of formula (VIb), (VIc), or (VId): (i)

$$\begin{array}{c} L\text{-}(CH_2CH_2O)_{nr}(CH_2)_{mr}SR \ (VIb) \\ \\ L\text{-}(CH_2)_{pr}SR \ (VIc) \\ \\ \square\text{-}(CH_2)_q \\ \end{array}$$

n is an integer of 1 to 20;

m is an integer of 1 to 10;

p is an integer of 1 to 20;

q is an integer of 0 to 4;

r is an integer of 1 to 10;

L is a leaving group such as p-toluenesulphonate, trifluoromethanesulphonate, or methanesulphonate;

Appl. No. 10/566487

Amdt. Dated: Oct. 24, 2007

Reply to Office action of April 24, 2007

L' is a leaving group such as iodo, p-toluenesulphonate, trifluoromethanesulphonate, or methanesulphonate and when q is 0, L' can be nitro or an iodonium or ammonium salt, R is hydrogen or a thiol protecting group; and

(ii) an activated peptide of formula (V)